

**RAKIRO BIOTECH SYSTEMS PVT LTD**

R-466, TTC Industrial Area, MIDC
Rabale, Navi Mumbai - 400701
Tel No. +91- 022 - 47804040
Email :- sales@rakiro.net

Doc No : MSDSAPCODV3
Date : 01-04-2024
Type : AQUASOL DIGITAL
Product Code : APCODV3

MATERIAL SAFETY DATA SHEET**1 PRODUCT IDENTIFICATION AND INFORMATION**

PRODUCT NAME : AQUASOL DIGITAL - COD VIAL - APCODV3
Reagent Application Area : Detection of Chemical Oxygen Demand (COD) in water.

2 INFORMATION ON INGREDIENTS AND TOXICITY DATA

Packing : 25 Nos of Glass vials filled with reagent are packed in protective EPE foam alongwith 5 plastic syringe.
This are then packed in Corrugated Box which is shrink wrapped.

Performance : Able to estimate chemical oxygen demand in water (Range: – 0 to 15000 ppm).

Ingredient : Each Vial contains 2.75ml of this reagent with following chemicals

| <u>Chemical Name</u> | <u>Cas No</u> | <u>%</u> |
|----------------------|---------------|----------|
| Water | 7732-18-5 | 40 - 42% |
| Sulphuric Acid | 7664-93-9 | 53 - 55% |
| Potassium Dicromate | 7778-50-9 | 0 - 1% |
| Silver Sulfate | 10294-26-5 | 0 - 1% |
| Mercuric Sulphate | 7738-35-9 | 0 - 1% |

3 HAZARDS IDENTIFICATION

Flammable Limits in air,%by Volume : N.A
Flash Point : None
Extinguishing Media : NA as the sol. has water

4 FIRST AID MEASURES

Ingestion (Swallowing): May cause burns of the mouth, May be fatal if swallowed.
Skin Contact : Direct contact can be severely irritating to the skin and may result in redness, swelling, burns and severe skin damage. Direct contact with the liquid or exposure to vapors may cause stinging.
Eye Contact :Tearing, redness, swelling, corneal damage and irreversible eye damage. Splashes in the eyes will cause severe burns. Safety goggles should not be worn when working with this chemical.
Inhalation : May cause severe irritation and burns of the nose, throat and respiratory tract.

5 FIRE FIGHTING MEASURES

Since product is not inflammable so no fire fighting measures are not required.

6 ACCIDENTAL RELEASE MEASURES

If liquid is spilled or leaked, ventilate area. Stay upwind and away from spill release. Avoid discharge into drains, water courses or onto the ground. Persons not wearing protective equipment and clothing should be restricted from areas of spills or leaks until cleanup has been completed. Do not discharge into the drains/surface waters/groundwater.

7 HANDLING AND STORAGE

Handling : Wear rubber gloves and safety goggles. Avoid breathing vapors and avoid skin contact.
Keep away from direct heat and sunlight.
Storage : Store at room temperature, protected from excessive heat, light.
Should Not be refrigerated or frozen.

**RAKIRO BIOTECH SYSTEMS PVT LTD**

R-466, TTC Industrial Area, MIDC
Rabale, Navi Mumbai - 400701
Tel No. +91- 022 - 47804040
Email :- sales@rakiro.net

Doc No : MSDSAPCODV3
Date : 01-04-2024
Type : AQUASOL DIGITAL
Product Code : APCODV3

MATERIAL SAFETY DATA SHEET**8 EXPOSURE CONTROLS / PERSONAL PROTECTION****Personal Protection:**

Required to use splashproof safety goggles where there is any possibility of liquid solutions contacting the eye.:
Rubber apron, rubber boots, eyewashstations and safety showers must be available in the immediate work area for emergency use.

Exposure Control:

| Chemical Name | Type | Value | Source |
|---------------------|---------------|------------------------------|------------|
| Sulphuric Acid | TWA (8 Hours) | 1 mg/m ³ | USA (OSHA) |
| Potassium Dicromate | TWA (8 Hours) | 0.005 mg (Cr)/m ³ | USA (OSHA) |
| Mercuric Sulphate | TWA (8 Hours) | 2 mg (Hg)/m ³ | USA (OSHA) |

9 PHYSICAL & CHEMICAL PROPERTIES

Appearance: Yellowish Orange liquid
Odor: Odorless
Melting Point: NA
Boiling Point: ND
Observation Time : 14 Days

Solubility: Soluble in Water (Will develop Heat)
pH at 20°C: < 0.5 (Highly Acidic)
Explosion Limit: NA
Flash Point: NA
Exposure Time: 45 Min

10 STABILITY & REACTIVITY

Stable under normal storage conditions. Strong Heating Conditions to be Avoided. Hazardous Decomposition Products Will not occur. Has a corrosive effect. Incompatible with metals.

11 TOXICOLOGICAL INFORMATION

Routes of Exposure: diluted soln. can affect the body if it is inhaled or if it comes in contact with the eyes or skin. It can also affect the body if it is swallowed. Points of Attack.

12 ECOLOGICAL INFORMATION

AQUATIC TOXICOLOGY - No Data Available.
BIODEGRADATION - No Data Available.

13 DISPOSAL CONSIDERATIONS

Avoid release to the environment. Consult state and local regulations for the proper disposal.

14 TRANSPORT INFORMATION (By Air / Sea)

| | Land (UN) | Air (IATA) | Sea (IMDG) |
|----------------------|----------------|----------------|----------------|
| UN No | 1830 | 1830 | 1830 |
| Proper Shipping Name | Sulphuric Acid | Sulphuric Acid | Sulphuric Acid |
| Class | 8 | 8 | 8 |
| Packing Group | II | II | II |
| Environment Hazard | Yes | Yes | Yes |
| Marine Pollutant | Yes | Yes | Yes |

**RAKIRO BIOTECH SYSTEMS PVT LTD**

R-466, TTC Industrial Area, MIDC
Rabale, Navi Mumbai - 400701
Tel No. +91- 022 - 47804040
Email :- sales@rakiro.net

Doc No : MSDSAPCODV3
Date : 01-04-2024
Type : AQUASOL DIGITAL
Product Code : APCODV3

MATERIAL SAFETY DATA SHEET

15 REGULATORY INFORMATION

Consult state and local regulatory authorities.

16 OTHER INFORMATION

The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. Recipients of our product must take responsibility for observing existing laws and regulations. Rakiro Biotech assumes no responsibility for injury to customers or third persons caused by the material, if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, since actual use by others is beyond our control, no guarantee expressed or implied is made by Rakiro Biotech as to effect of such use, the results to be obtained, others safety and toxicity of the products, nor Rakiro Biotech assumes any liability arises out of use/misuse by others of the product referred to herein. Information proved herein is provided by Rakiro Biotech solely for customers' assistance in implying with the occupational Safety & Health Act Regulations there under. Any other use is prohibited.