

## **RAKIRO BIOTECH SYSTEMS PVT LTD**

R-466, TTC Industrial Area, MIDC Rabale, Navi Mumbai - 400701 Tel No. +91-022-47804040 Email :- sales@rakiro.net Doc No: TDSWTD100

**Date:** 01-04-2024

Type: UDAAQ

**Product Code:** WTD100

# PRODUCT DATA SHEET

## > INFORMATION

Product Code: WTD100
Product Name: Cooling Tower Antiscalant

Application: Cooling System Treatment

#### > DESCRIPTION

UDAAQ D100 is a unique scale / deposit control agent for low hardness / soft water treatment. Latest type of scale and corrosion inhibitors have been incorporated in the formulation which prevent deposits and protect systems metals of cooling water systems. The dispersion action of UDAAQ D 100 helps to keeps the system free from chemical fouling.

## > SALIENT FEATURES

Food Grade Cooling Water Treatment NSF Certified for Food Processing Industries Environment-friendly and Non-Toxic Treatment Economical and Available in ready to use Pack High Temperatures and High-Pressure Stability Easy to handle with Rapid Action for Instant solution Complete system Protection to enhance system life

## > CERTIFICATIONS

NSF - Food Grade Certified Cooling Water / Chiller Treatment Chemical

NSF - NFC Certification

# > ANALYTICAL DATA

Appearance : COLOURLESS TO PALE YELLOW COLOUR LIQUID

pH : 10.00 - 13.00

Density : 1.00 - 1.10

### > HANDLING INSTRUCTIONS

The use of protective Clothing, facemask, safety goggles, shoes and gloves are mandatory. Keep the container away from direct heat & sunlight. Keep the container closed when not in use. The product should not be swallowed and prolonged contact with the skin should be avoided. Should it come in contact with the eyes, flush with clean, cold water and get medical attention.

#### > RECOMMENDED DOSAGE

An dosage of 50 PPM is recommended but this dosage is to be adjusted in such a way that it should give protection to the system, while being economical. Dosage might vary depending on the parameters viz. the temperature of the system, the type of metal, the characteristic of the makeup water.