

**RAKIRO BIOTECH SYSTEMS PVT LTD**

R-466, TTC Industrial Area, MIDC  
Rabale, Navi Mumbai - 400701  
Tel No. +91-022-47804040  
Email :- sales@rakiro.net

**Doc No :** TDSWTIC315  
**Date :** 01-04-2024  
**Type :** UDAAQ  
**Product Code :** WTIC315

**PRODUCT DATA SHEET****1 INFORMATION**

Product Code: WTIC315

Product Name: Open System On Line Cleaner

Application: Cooling System Treatment

**2 DESCRIPTION**

UDAAQ IC-315 is a blend of organic dispersant which aids removal of various deposits from open recirculating cooling systems by dislodging and solubilising deposit building blocks. Deposits are softened and solubilized as UDAAQ IC- 315 aids and supports the on-line deposit remover UDAAQ IC-315 to slough off the deposits. UDAAQ IC – 315 is effective at the normal pH range of open recirculating cooling system.

**3 SALIENT FEATURES**

Aids to remove deposits on line  
Non corrosive

One step programme  
Ready to use liquid

**4 ANALYTICAL DATA**

Appearance	:	Colourless to pale yellow color liquid
pH	:	7.0 To 9.0
Density	:	1.0 To 1.2

**5 HANDLING INSTRUCTIONS**

Keep the container away from direct heat & sunlight. Keep the container closed when not in use. The product should not be swallowed and prolonged contact with the skin should be avoided. Should it come in contact with the eyes, flush with clean, cold water and get medical attention.

**6 RECOMMENDED DOSAGE**

For on line cleaning of moderately fouled systems feed 50 to 250 ppm of UDAAQ IC-315 until Iron and Calcium concentrations in the recirculating water are reduced to the required level. The blow down may be increased for removal of dispersant and soluble foulants.