

RAKIRO BIOTECH SYSTEMS PVT LTD

R-466, TTC Industrial Area, MIDC Rabale, Navi Mumbai - 400701 Tel No. +91-022-47804040 Email :- sales@rakiro.net Doc No: TDSWTRD300

Date: 01-04-2024

Type: UDAAQ

Product Code: WTRD300

PRODUCT DATA SHEET

> INFORMATION

Product Code: WTRD300
Product Name: RO Antiscalant

Application: RO Treatment

> DESCRIPTION

WTRD300 is a effecient Antiscalent / Antifoulant control agent for reverse osmosis systems. Latest Polymers have been incorporated in the formulation which prevent deposits and protects system. WTRD300 is highly effective for salts like CaCO3, CaSO4, BaSO4, SrSO4 CaF2. It also effectively disperse soluble and insoluble Iron & Silica. The dispersing action of WTRD300 helps to keeps the system free from chemical fouling. WTRD300 is very effective and suitable for potable water systems.

> SALIENT FEATURES

Food Grade RO Water Treatment NSF Certified for Drinking Water RO Treatment Environment-friendly and Non-Toxic RO Treatment Economical and Ready to use in 5/20 KG Pack High Chemical Stability with Enhanced Inhibition Easy to handle with Rapid Action for Instant solution Complete RO Plant Protection to Enhance life

> <u>CERTIFICATIONS</u>

NSF - Food Grade Certified / Drinking Water Treatment Chemical for RO System

NSF - 60 Certification

> ANALYTICAL DATA

Appearance : YELLOW TO BROWN COLOUR LIQUID

pH : 4.50 - 5.50

Density : 1.00 - 1.20

> HANDLING INSTRUCTIONS

The use of protective Clothing, facemask, safety goggles, shoes and gloves are mandatory. Keep the container away from direct heat & sunlight. Keep the container closed when not in use. The product should not be swallowed and prolonged contact with the skin should be avoided. Should it come in contact with the eyes, flush with clean, cold water and get medical attention.

> RECOMMENDED DOSAGE

An dosage of 3 - 5 PPM is recommended but this dosage is to be adjusted in such a way that it should give protection to the system, while being economical. Dosage might vary depending on specific system parameter, Kindly refer RO Membrane manufacturer literature for specific product application. Maximum Dosage Limit for Drinking Water is 20 PPM